web of semantic

Journal of Interdisciplinary Science | ISSN: 2960-9550

Research Article Peer-review, Open Access

The Impact of Fly Ash on Concrete Strength and Durability: an Experimental Approach

Vikas Kumar [1]

Amrendra Kumar [2]

Abstract: This study investigates the use of Class F fly ash as a partial replacement for Ordinary Portland Cement (OPC) in concrete, focusing on its effects on mechanical properties and durability. The research aims to identify the optimal fly ash content that enhances performance while maintaining workability. By incorporating fly ash, a byproduct of coal combustion, the study also addresses waste management and sustainability concerns, potentially reducing the carbon footprint of concrete production. The findings suggest that fly ash in concrete is a promising strategy for sustainable construction, offering both environmental and economic benefits. Future research should focus on optimizing mix designs, exploring regional variations in fly ash properties, and developing guidelines for its effective use in diverse construction scenarios. By addressing these aspects, the adoption of fly ash in concrete can be further accelerated, contributing to greener construction practices.

Keywords: Class F fly ash, Ordinary Portland Cement (OPC), concrete, tensile strength, flexural strength, durability

[1]*Department of Civil Engineering, Sandip University, Sijoul, Madhubani*

Email ID: vikashcivileng2@gmail.com

[2]*Assistant Professor, Department of Civil Engineering, Sandip University, Sijoul, Madhubani*

Email ID: amrendraroy2k8@gmail.com

Introduction

Fly ash, a byproduct of coal combustion in power plants, has gained significant attention in the construction industry for its beneficial properties when used in concrete. This fine, powdery material is primarily composed of silica, alumina, and iron, making it a valuable pozzolanic material. When mixed with lime and water, fly ash forms compounds that contribute to the strength and durability of concrete.

The incorporation of fly ash in concrete offers several advantages. It enhances the workability of fresh concrete, reduces water demand, and improves pumpability and finishability. Additionally, fly ash contributes to the long-term strength gain of concrete, often surpassing the strength of conventional Portland cement concrete over time. Its use also mitigates the heat of hydration, reducing the risk of thermal cracking in large concrete structures.

From an environmental perspective, using fly ash in concrete helps reduce the carbon footprint of construction projects. By partially replacing Portland cement, which is energy-intensive to produce, fly ash utilization promotes sustainability and resource efficiency. Moreover, it provides a productive use for a material that would otherwise be disposed of as industrial waste, thus addressing environmental concerns associated with fly ash disposal.

Overall, the use of fly ash in concrete not only enhances the performance and durability of concrete structures but also supports sustainable construction practices.

2. Literature Review

Ghani et al. (2024) presented the development of an eco-friendly low-cost concrete using fly ash (FA) and marble powder waste (MPW) as partial replacements for cement and fine aggregate, respectively. The study revealed that MPW as a sand substitute increases strength up to 40%, but beyond that, the strength gradually decreases. Using FA as a cement replacement was found to reduce strength, but the reduction was not significant up to 20%.

More et al. (2024) investigated high-volume fly ash (HVFA) concrete mixes with 40% and 50% fly ash replacement, comparing them with pure OPC mixes. The study found that the HVFA mix had slightly lower compressive strength but exhibited better durability in terms of chloride penetration resistance.

Tran et al. (2024) studied high-strength concrete (HSC) using 30% fly ash (FA) and various nano silica (NS) contents. Results indicated that the combination of cement, FA, and NS satisfied setting time requirements and enhanced mechanical properties, including compressive strength, flexural strength, and abrasion resistance.

Thangavel et al. (2024) explored stainless steel fiber reinforced concrete (SSFRC) with partial fly ash replacement. The study highlighted that SSFRC improves tensile strength, ductility, and resistance to chemical and physical damage, making it highly durable.

Sajeev et al. (2024) analyzed functionally graded concrete incorporating fly ash and red mud. The study concluded that a combination of 12% red mud and 12% fly ash yields optimal strength and durability, demonstrating superior performance compared to conventional concrete.

3. Need for Study / Research Gap

1. **Limited Focus on High Fly Ash Content:** While previous studies have explored low to moderate fly ash content (up to 30%), there is insufficient research on concrete performance with higher percentages (40% or more).
2. **Inadequate Durability Data:** Existing research lacks comprehensive data on long-term durability, including permeability, sulfate resistance, and water absorption of fly ash concrete.
3. **Lack of Standardized Optimal Fly Ash Content:** There is no consensus on the ideal percentage of fly ash replacement to maximize performance while maintaining structural integrity.
4. **Insufficient Analysis of Environmental and Economic Benefits:** Few studies have thoroughly examined the sustainability and cost-effectiveness of large-scale fly ash utilization in construction projects.
5. **Workability of Fly Ash Concrete:** Limited studies focus on the workability and ease of handling fresh concrete with fly ash, which is critical for practical construction applications.

Conclusion

This experimental study highlights the potential of fly ash as a sustainable and cost-effective alternative to traditional cement. Incorporating fly ash as a partial replacement improves workability, reduces water demand, and enhances concrete durability while significantly lowering the carbon footprint of cement production. The findings indicate that optimal fly ash replacement varies based on desired strength and

performance criteria. Excessive replacement may lead to delayed strength gain in early stages, limiting its application in time-sensitive construction projects.

In conclusion, fly ash in concrete presents a promising strategy for sustainable construction, offering both environmental and economic benefits. Future research should focus on optimizing mix designs, understanding regional variations in fly ash properties, and developing guidelines for its effective use in various construction scenarios. Addressing these aspects will accelerate the adoption of fly ash in concrete, contributing to greener construction practices.

REFERENCES

1. Ghani, Abdul, Fasih Ahmed Khan, Sajjad Wali Khan, Inzimam Ul Haq, Dongming Li, Diyar Khan, and Qadir Bux alias Imran Latif Qureshi. "Experimental study on the mechanical behavior of concrete incorporating fly ash and marble powder waste." *Scientific Reports* 14, no. 1 (2024): 19147.
2. More, Supriya S., and A. R. Kambekar. "Experimental investigation of durable parameters in high volume flyash concrete used in coastal region." In *IOP Conference Series: Earth and Environmental Science*, vol. 1326, no. 1, p. 012044. IOP Publishing, 2024.
3. Tran, Huu - Bang, andVu To -AnhPhan."Potentialusage of flyash and nanosilica in high-strengthconcrete: Laboratory experiment and application in rigid pavement." *Case Studies in Construction Materials* 20 (2024): e02856.
4. Thangavel, Bragadeeswaran, and S. Naveenprasath. "An experimental study on the stainless-steel fiber flyash in concrete."In *AIP Conference Proceedings*, vol. 3146, no. 1. AIP Publishing, 2024.
5. Sajeev, P. S. "AN EXPERIMENTAL STUDY UTILIZING FLY ASH AND RED MUD TO EXAMINE THE FLEXURAL PERFORMANCE OF FUNCTIONALLY GRADED CONCRETE."
6. Ghanim, Abdulnoor AJ, Fayyaz Ur Rahman, Waqas Adil, Abdullah M. Zeyad, and Hassan M. Magbool. "Experimental investigation of industrial wastes in concrete: Mechanical and microstructural evaluation of pumice powder and Fly Ash in concrete."*Case Studies in Construction Materials* 18 (2023): e01999.
7. Karthiga, N., M. Arun Siddharth, V. Kannan, and C. Dhanusree. "Experimental investigation of self-compacting concrete (SCC) using fly ash."*Materials Today: Proceedings* (2023).
8. Bajpai, Rishabh, Vedant Soni, Anshuman Shrivastava, and Dipankar Ghosh."Experimental investigation on paver blocks of fly ash-based geopolymer concrete containing silica fume."*Road Materials and Pavement Design* 24, no. 1 (2023): 138-155.
9. Nguyen, Doan-Binh, Cheng-Jun Wu, and Wen-Cheng Liao. "Experimental Study and Development of Prediction Model of Self-Compacting Concrete Incorporating Fly Ashon Compressive Creep Behaviour."*Journal of Advanced Concrete Technology* 21, no. 8 (2023): 596-610.
10. Chougule, M.,and Vaishnavi Chougule."Experimental Investigationsonthe Concrete Mix Design With Fly Ash."*International Journal of Innovative Research in Engineering* 4, no. 1 (2023): 106-109.
11. Diamond, S.(1984)."Theutilizationofflyash,"CementandConcreteResearch14,455-462.
12. Dolen, T. P. (1987). "Performance of fly ash in roller compacted concrete at upper stillwater dam." Proceedings: Eighth International Ash Utilization Symposium.
13. Dunstan, M. R. H. (1983). "Development of high fly ash concrete." Proceedings Inst. Civil Engineers, 74, 495-513.
14. Joshi, R. C, Day, R. L., Langan, B. W., andWard, M. A. (1987). "Strengthand durability of concrete with high proportions of fly ash and other mineral admixtures," Durability of Building Materials 4, 253-270.
15. Mather, B. (1956). "The partial replacement of portland cement in concrete," in Cement and

Concrete, 37- 73.

16. Mehta, P. K. (1985). "Influence of fly ash characteristics on the strength of portland-fly ash mixtures," Cement and Concrete Research 15, 669-674.
17. Mukherjee, P. K., Loughborough, M. T., and Malhotra, V. M. (1982). "Development of high-strength concrete incorporating a large percentage of fly ash and superplasticizers," Cement, Concrete, and Aggregates 4(2).
18. Naik, T. R. (1987). "Setting and hardening of high fly ash content concrete," Paper presented at American Coal Ash 8th International Coal Ash Utilization Symposium.
19. Ravina, D., and Mehta, P. K. (1986). "Properties of fresh concrete containing large amounts of fly ash," Cement and Concrete Research 16, 227-238.
20. Sivasundaram, V., Carette, G. G., and Malhotra, V. M. (1990). "Long term strength development of high- volume fly selection
21. Thomas, M. D. A. (1989)."Theeffectofcuringonthehydrationandporestructureofhardenedcementpaste containing pulverized fuel ash," Advances in Cement Research
22. Li, Changyong, HaibinGeng, SiyiZhou, ManmanDai, Baoshan Sun, and FenglanLi. "Experimental study on preparation and performance of concrete with large content of fly ash." Frontiers in Materials 8 (2022): 764820.
23. Nayak, Dheeresh Kumar, P. P. Abhilash, Rahul Singh, Rajesh Kumar, and Veerendra Kumar. "Fly ash for sustainableconstruction: Are view of flyash concrete and its beneficial use case studies." Cleaner Materials 6 (2022): 100143.
24. Khan, Kaffayatullah, Ayaz Ahmad, Muhammad Nasir Amin, Waqas Ahmad, Sohaib Nazar, and Abdullah Mohammad Abu Arab. "Comparative study of experimental and modeling of fly ash-based concrete." Materials 15, no. 11 (2022): 3762.
25. Cui, Yunpeng, Licheng Wang, JunLiu, Runqing Liu, and BoPang."Impact of particlesize of flyashon the early compressive strength of concrete: Experimental investigation and modelling." Construction and Building Materials 323 (2022): 126444.
26. Shen, Weiguo, Zheng Zhang, JiangweiL i,ZhenghaoLi, Zhongwen Wang, Lianghong Cao, Guocheng Rong, Miaomiao Wu, DeqiangZhao, and ZhichengZhao. "Experimental investigationon the high-volume fly ash ecological self-compacting concrete." Journal of Building Engineering 60 (2022): 105163.
27. Wang, Yamin, Shaowei Hu, and Xiping Sun." Experimental investigation on the elastic modulus and fracture properties of basaltfiber–rein forced flyashgeopolymer concrete."Constructionand Building Materials 338 (2022): 127570.
28. Fasihihour, Nazanin, Javad Mohebbi Najm Abad, Arash Karimipour, and Mohammad Reza Mohebbi. "Experimental and numerical model for mechanical properties of concrete containing fly ash: Systematic review." Measurement 188 (2022): 110547.
29. Bat-Erdene, Purev-Erdene, and Sanjay Pareek. "Experimental study on the development of fly ash foam concrete containing phase change materials (PCMs)." Materials 15, no. 23 (2022): 8428.
30. Swathi, Vennam, andS.S.Asadi."RETRACTEDARTICLE: Anexperimental investigationonme chanical, durability and Microstructural Properties of high-volume fly ash based concrete." Journal of Building Pathology and Rehabilitation 7, no. 1 (2022): 36.
31. Anandaraj, S., S. Karthik, K. S. Elango, S. Nishiketan, G. Pandiyarajan, P. Nithis Kumar, R. Palani kumar, and M. Harihan and h. "An experimental study on Fly Ash (FA) and marble powder in the properties of Self- Compacting Concrete (SCC)." Materials Today: Proceedings 52 (2022): 1771-1774.